



BPI LOAD GUIDE:

BP1205 STINGER

WWW.BALLISTICPRODUCTS.COM

12GA 2-3/4" LEAD SHOT WAD

The BP1205 is a light capacity 12ga wad with a volume-consuming cushion section. This wad is ideal for light target loads and high velocities. We love this wad as a regular addition to our clay target loads.

Curmudgeon's Loading Tips:

TYPE: (straight wall hulls = 7/8 to 1 oz.) 12 gauge lead target & small game loads. Stinging fast loads for speedy clay targets. Outstanding for doves, quail, huns and other light upland game.

We use this wad with smaller shot sizes with high velocity loads and pound any short to mid-range clay targets. Dove season was a great success with nickel-plated 9 shot and the BP1205. This is one of the most versatile wads we have EVER loaded in that the compression is very accommodating to different load levels. Cartridge manufacturers love using this wad for this very reason. You will love it too.

The BP1205 loads well at 3/4 and 7/8 ounce lead in both straight-wall (Fiocchi, Cheddite, Rio, & Federal) shotgun hulls and the taper-wall hulls (Win. WAA-HS & Remington STS) target hulls. Propellants utilized are fast-burn-rate powders, Red Dot, Clays, 700-X, Titewad & Bullseye. Current data charts range from 1200 FPS to 1600 FPS.



WAD SPECIFICATIONS:

- Overall length: 1.775"
- Shotcup depth: 0.620"
- Diameter: 0.727"
- Product Type: Wad, 12-gauge 2-3/4" target & light field wad, pre-slit
- Typical Loads: 3/4 to 7/8 ounce lead

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
12-GAUGE • 2-3/4" LENGTH • LEAD SHOT • ROLL CRIMP															
100113-1669	12	Cheddite (Paper)	Ched209	Green Dot	26.0		BP1205		COS12	7/8	382.8	Lead		7900	1400
121206-4411	12	<i>Rio</i>	<i>Rio209</i>	Green Dot	22.0		BP1205		COS12	1	437.5	Lead #8		8000	1210
12-GAUGE • 2-3/4" LENGTH • LEAD SHOT • FOLD CRIMP															
100727-2292	12	Remington STS	Rem209P	e3	22.0		BP1205	18FW20 in base		5/8	273.4	Lead #8		8900	1630
100728-2301	12	Remington STS	Rem209P	Titewad	24.0		BP1205	18FW20 in base		5/8	273.4	Lead #8		9300	1675
130204-4556	12	Cheddite	Ched209	700-X	26.0		BP1205	(2) 18FW20 in base		11/16	300.8	Lead #8		9400	1670
130206-4570	12	Cheddite	Ched209	700-X	27.0		BP1205	18FW20 in base		11/16	300.8	Lead #8		10700	1765
130206-4571	12	Cheddite	Ched209	700-X	28.0		BP1205	18FW20 in base		11/16	300.8	Lead #8		11000	1790
130204-4558	12	Cheddite	Ched209	Clays	26.0		BP1205	18FW20 in base		11/16	300.8	Lead #8		10500	1715
120514-3865W	12	Cheddite	Ched209	700-X	22.5		BP1205		OS12	3/4	328.1	Lead #8		9300	1535
120514-3866W	12	Cheddite	Ched209	700-X	25.0		BP1205		OS12	3/4	328.1	Lead #8		9800	1615
11675	12	Cheddite	Ched209	Bullseye	20.0		BP1205			3/4	328.1	Lead #9		6700	1320
11674	12	Cheddite	Ched209	Bullseye	21.0		BP1205			3/4	328.1	Lead #9		7700	1430
11673	12	Cheddite	Ched209	Bullseye	22.0		BP1205			3/4	328.1	Lead #9		8000	1450
230222-11673B	12	Cheddite	Ched209	Bullseye	23.0		BP1205	X-Stream Spreader		3/4	328.1	Lead #9		9300	1495
141114-6128-8	12	Cheddite	Ched209	Bullseye	24.0		BP1205		OS12	3/4	328.1	Lead #8		9800	1540
141114-6128-X8	12	Cheddite	Ched209	Bullseye	24.0		BP1205	X-Stream Spreader		3/4	328.1	Lead #8		9800	1540
141114-6129-8	12	Cheddite	Ched209	Bullseye	25.0		BP1205		OS12	3/4	328.1	Lead #8		10600	1580
141114-6129X8	12	Cheddite	Ched209	Bullseye	25.0		BP1205	X-Stream Spreader		3/4	328.1	Lead #8		10600	1580
130204-4559	12	Cheddite	Ched209	Titegroup	26.0	BPGS	BP1205			3/4	328.1	Lead #8		9400	1615
140930-6051	12	Cheddite	Ched209	Win. Super Handicap	31.0		BP1205		OS12	3/4	328.1	Lead #7.5		10600	1725
230108-11673	12	Fed. GM Grand	Ched209	Bullseye	22.0		BP1205	18FW20 in base		3/4	328.1	Lead #9		8000	1450
90316-572	12	Fiocchi	Fio616	700-X	20.0		BP1205		OS12	3/4	328.1	Lead #8		8900	1460
90316-572B	12	Fiocchi	Fio616	700-X	21.0		BP1205		OS12	3/4	328.1	Lead #8		9000	1480
90211-424	12	Fiocchi	Fio616	700-X	22.0		BP1205		OS12	3/4	328.1	Lead #8		9100	1500
90211-423	12	Fiocchi	Fio616	700-X	23.0		BP1205		OS12	3/4	328.1	Lead #8		9600	1590

ITALICIZED COMPONENTS ARE NO LONGER IN PRODUCTION, BUT MAY STILL BE IN CIRCULATION.

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
12-GAUGE • 2-3/4" LENGTH • LEAD SHOT • FOLD CRIMP (CONTINUED)															
90316-571	12	Fiocchi	Fio616	Bullseye	18.0		BP1205		0S12	3/4	328.1	Lead #8		7900	1315
90316-571B	12	Fiocchi	Fio616	Bullseye	19.0		BP1205		0S12	3/4	328.1	Lead #8		8300	1330
90211-414	12	Fiocchi	Fio616	Bullseye	20.0		BP1205		0S12	3/4	328.1	Lead #8		8800	1350
90211-415	12	Fiocchi	Fio616	Clays	20.0		BP1205		0S12	3/4	328.1	Lead #8		7900	1365
90211-415B	12	Fiocchi	Fio616	Clays	22.0		BP1205			3/4	328	Lead #8		8000	1400
90316-570	12	Fiocchi	Fio616	Red Dot	20.0		BP1205		0S12	3/4	328	Lead #8		8600	1395
90211-421	12	Fiocchi	Fio616	Red Dot	22.0		BP1205			3/4	328	Lead #8		8300	1415
90316-573	12	Fiocchi	Fio616	Titewad	20.0		BP1205		0S12	3/4	328.1	Lead #8		8300	1400
90316-573B	12	Fiocchi	Fio616	Titewad	21.0		BP1205			3/4	328.1	Lead #8		8400	1450
90211-419	12	Fiocchi	Fio616	Titewad	22.0		BP1205			3/4	328.1	Lead #8		8500	1480
90211-419B	12	Fiocchi	Fio616	Titewad	23.0		BP1205			3/4	328.1	Lead #8		8700	1510
90211-420	12	Fiocchi	Fio616	Titewad	24.0		BP1205			3/4	328.1	Lead #9		8800	1535
90211-419C	12	Fiocchi	Fio616	Titewad	24.0		BP1205			3/4	328.1	Lead #8		8800	1535
90211-412	12	Remington STS	Rem209P	Bullseye	18.0		BP1205			3/4	328.1	Lead #8		8000	1290
90211-412B	12	Remington STS	Rem209P	Bullseye	19.0		BP1205			3/4	328.1	Lead #8		8500	1350
90211-413	12	Remington STS	Rem209P	Bullseye	20.0		BP1205			3/4	328.1	Lead #8		8900	1440
100727-2296	12	Remington STS	Rem209P	Clays	22.0		BP1205			3/4	328.1	Lead #8		8200	1440
100727-2297R	12	Remington STS	Rem209P	Clays	23.0		BP1205			3/4	328.1	Lead #8		9000	1500
100727-2297	12	Remington STS	Rem209P	Clays	24.0		BP1205			3/4	328.1	Lead #8		9700	1570
100728-2302	12	Remington STS	Rem209P	Clays	25.0		BP1205			3/4	328.1	Lead #8		10400	1610
100707-2294	12	Remington STS	Rem209P	e3	20.0		BP1205			3/4	328.1	Lead #8		9600	1485
100727-2295	12	Remington STS	Rem209P	e3	22.0		BP1205			3/4	328.1	Lead #8		10500	1580
130129-4541	12	Remington STS	Win209	International	26.0		BP1205			3/4	328.1	Lead #8		10000	1640
100727-2298	12	Remington STS	Rem209P	Titewad	22.0		BP1205			3/4	328.1	Lead #8		9300	1505
100727-2299S	12	Remington STS	Rem209P	Titewad	23.0		BP1205			3/4	328.1	Lead #8		10000	1575
100727-2299	12	Remington STS	Rem209P	Titewad	24.0		BP1205			3/4	328.1	Lead #8		10500	1610

ITALICIZED COMPONENTS ARE NO LONGER IN PRODUCTION, BUT MAY STILL BE IN CIRCULATION.

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
12-GAUGE • 2-3/4" LENGTH • LEAD SHOT • FOLD CRIMP (CONTINUED)															
90727-1075	12	Winchester AA HS	Fed209A	Clays	16.0		BP1205			3/4	328.1	Lead #8		7500	1200
90211-417	12	Winchester AA HS	Win209	Clays	17.0		BP1205			3/4	328.1	Lead #8		8200	1270
90211-417B	12	Winchester AA HS	Win209	Clays	18.0		BP1205			3/4	328.1	Lead #8		8400	1315
90211-418C	12	Winchester AA HS	Win209	Clays	19.0		BP1205			3/4	328.1	Lead #8		8600	1370
90211-418	12	Winchester AA HS	Win209	Clays	20.0		BP1205			3/4	328.1	Lead #8		8700	1400
90211-422	12	Winchester AA HS	Win209	Red Dot	20.0		BP1205			3/4	328.1	Lead #8		8300	1350
130204-4565	12	<i>Rio</i>	<i>Rio209</i>	Green Dot	28.0		BP1205			13/16	355.5	Lead #8		9100	1565
130204-4566R	12	<i>Rio</i>	<i>Rio209</i>	Green Dot	29.0		BP1205			13/16	355.5	Lead #8		9300	1600
130204-4566	12	<i>Rio</i>	<i>Rio209</i>	Green Dot	30.0		BP1205			13/16	355.5	Lead #8		9600	1635
141020-6081	12	Cheddite	Ched209	International	30.0		BP1205				370.0	Lead #8		9900	1585
130218-4597	12	Fiocchi	Fio616	Universal	32.0		BP1205				370.0	Lead #8		9500	1580
11571	12	Cheddite	Ched209	Clays	20.0		BP1205		0512	7/8	382.8	Lead #8		9100	1345
130415-4704	12	Cheddite	Ched209	Green Dot	30.0		BP1205			7/8	382.8	Lead #7.5		9900	1600
120514-3867W	12	Cheddite	Ched209	International	20.7		BP1205			7/8	382.8	Lead #8		7200	1180
90526-423F	12	Cheddite	Ched209	International	21.0		BP1205			7/8	382.8	Lead #8		7600	1200
120514-3868RW	12	Cheddite	Ched209	International	22.0		BP1205			7/8	382.8	Lead #8		7800	1250
120514-3868W	12	Cheddite	Ched209	International	23.0		BP1205			7/8	382.8	Lead #8		8000	1300
11572	12	Cheddite	Ched209	International	24.0		BP1205		0512	7/8	382.8	Lead #8		7100	1340
120827-4184R	12	Cheddite	Ched209	International	25.0		BP1205			7/8	382.8	Lead #8		8100	1395
120827-4184	12	Cheddite	Ched209	International	26.0		BP1205			7/8	382.8	Lead #8		8500	1445
120831-4202	12	Cheddite	Ched209	International	27.0		BP1205			7/8	382.8	Lead #8		8300	1440
120831-4203	12	Cheddite	Ched209	International	28.0		BP1205			7/8	382.8	Lead #8		9600	1550
11573	12	Cheddite	Ched209	Red Dot	20.0		BP1205		0512	7/8	382.8	Lead #8		8900	1330
230222-11573B	12	Cheddite	Ched209	Red Dot	21.0		BP1205			7/8	382.8	Lead #8		9400	1370
11574	12	Cheddite	Ched209	Red Dot	22.0		BP1205		0512	7/8	382.8	Lead #8		9675	1405
150612-6630	12	Cheddite	Ched209	Titegroup	26.0		BP1205	18FW20 in base		7/8	382.8	NP Lead #6		9000	1485

ITALICIZED COMPONENTS ARE NO LONGER IN PRODUCTION, BUT MAY STILL BE IN CIRCULATION.

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
12-GAUGE • 2-3/4" LENGTH • LEAD SHOT • FOLD CRIMP (CONTINUED)															
11570	12	Cheddite	Ched209	Titewad	21.0		BP1205		0S12	7/8	328.8	Lead #8		10900	1395
90901-1259	12	Federal PB	Fio616	Red Dot	21.0		BP1205			7/8	382.8	Lead #8		9300	1365
90901-1258	12	Federal PB	Win209	Red Dot	21.0		BP1205			7/8	382.8	Lead #8		9900	1390
90526-895C	12	Fiocchi	Fio616	700-X	16.8		BP1205		0S12	7/8	382.8	Lead #8		8100	1200
90526-895	12	Fiocchi	Fio616	700-X	17.0		BP1205		0S12	7/8	382.8	Lead #8		8300	1220
90526-896C	12	Fiocchi	Fio616	700-X	18.0		BP1205			7/8	382.8	Lead #8		8700	1290
90526-896	12	Fiocchi	Fio616	700-X	19.0		BP1205			7/8	382.8	Lead #8		9100	1345
90316-575	12	Fiocchi	Fio616	Clays	18.0		BP1205			7/8	382.8	Lead #8		7800	1200
90316-575B	12	Fiocchi	Fio616	Clays	19.0		BP1205			7/8	382.8	Lead #8		8100	1220
90211-416	12	Fiocchi	Fio616	Clays	20.0		BP1205			7/8	382.8	Lead #8		8300	1260
90526-897	12	Fiocchi	Fio616	Clays	22.0		BP1205			7/8	382.8	Lead #8		8600	1300
90526-898	12	Fiocchi	Fio616	Clays	23.0		BP1205			7/8	382.8	Lead #8		8800	1360
90526-899	12	Fiocchi	Fio616	Clays	24.0		BP1205			7/8	382.8	Lead #8		9000	1400
90727-1074	12	Fiocchi	Fio616	e3	23.0		BP1205			7/8	382.8	Lead #8		10000	1500
90803-1101A	12	Fiocchi	Fio616	e3	24.0		BP1205			7/8	382.8	Lead #8		10100	1540
90803-1101	12	Fiocchi	Fio616	e3	25.0		BP1205			7/8	382.8	Lead #8		10300	1560
90803-1102	12	Fiocchi	Fio616	Green Dot	26.0		BP1205			7/8	382.8	Lead #8		8700	1430
90526-893	12	Fiocchi	Fio616	International	21.0		BP1205			7/8	382.8	Lead #8		7600	1200
90526-894C	12	Fiocchi	Fio616	International	22.0		BP1205			7/8	382.8	Lead #8		7800	1245
90526-894	12	Fiocchi	Fio616	International	23.0		BP1205			7/8	382.8	Lead #8		8100	1310
120831-4204	12	Fiocchi	Fio616	International	25.0		BP1205			7/8	382.8	Lead #8		9200	1465
90727-1072	12	Fiocchi	Fio616	International	27.0		BP1205			7/8	382.8	Lead #8		8400	1440
90803-1100A	12	Fiocchi	Fio616	International	28.0		BP1205			7/8	382.8	Lead #8		9500	1510
90803-1100	12	Fiocchi	Fio616	International	29.0		BP1205			7/8	382.8	Lead #8		10100	1600
90526-900	12	Fiocchi	Fio616	Red Dot	17.0		BP1205		0S12	7/8	382.8	Lead #8		8100	1180
90316-576	12	Fiocchi	Fio616	Red Dot	18.0		BP1205			7/8	382.8	Lead #8		8300	1240

ITALICIZED COMPONENTS ARE NO LONGER IN PRODUCTION, BUT MAY STILL BE IN CIRCULATION.

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
12-GAUGE • 2-3/4" LENGTH • LEAD SHOT • FOLD CRIMP (CONTINUED)															
90316-576B	12	Fiocchi	Fio616	Red Dot	19.0		BP1205			7/8	382.8	Lead #8		8500	1290
90316-574	12	Fiocchi	Fio616	Red Dot	20.0		BP1205			7/8	382.8	Lead #8		8800	1325
90526-891	12	Fiocchi	Fio616	Titewad	17.0		BP1205		0512	7/8	382.8	Lead #8		7500	1185
90526-891B	12	Fiocchi	Fio616	Titewad	18.0		BP1205		0512	7/8	382.8	Lead #8		8100	1255
90526-892	12	Fiocchi	Fio616	Titewad	19.0		BP1205		0512	7/8	382.8	Lead #8		8600	1300
110105-2669	12	Fiocchi	Fio616	Titewad	21.0		BP1205			7/8	382.8	Lead #8		9700	1350
90727-1073	12	Fiocchi	Fio616	Universal	32.0		BP1205			7/8	382.8	Lead #8		9500	1540
90803-1099	12	Fiocchi	Fio616	Universal	34.0		BP1205			7/8	382.8	Lead #8		9800	1600
130218-4600	12	Fiocchi	Fio616	Universal	36.0		BP1205			7/8	382.8	Lead #8		9900	1675
230222-4147S	12	Remington STS	Rem209P	e3	15.0		BP1205			7/8	382.8	Lead #8		8500	1200
230222-4147	12	Remington STS	Rem209P	e3	16.0		BP1205			7/8	382.8	Lead #8		8900	1225
230222-4146S	12	Remington STS	Rem209P	e3	17.8		BP1205			7/8	382.8	Lead #8		9500	1300
90817-1160	12	<i>Rio</i>	<i>Rio209</i>	700-X	16.0		BP1205			7/8	382.8	Lead #8		7600	1170
90817-1160T	12	<i>Rio</i>	<i>Rio209</i>	700-X	16.3		BP1205			7/8	382.8	Lead #8		7900	1200
90817-1161A	12	<i>Rio</i>	<i>Rio209</i>	700-X	17.0		BP1205			7/8	382.8	Lead #8		8100	1235
90817-1161	12	<i>Rio</i>	<i>Rio209</i>	700-X	18.0		BP1205			7/8	382.8	Lead #8		8400	1275
90817-1162A	12	<i>Rio</i>	<i>Rio209</i>	700-X	19.0		BP1205			7/8	382.8	Lead #8		8600	1310
90817-1162	12	<i>Rio</i>	<i>Rio209</i>	700-X	20.0		BP1205			7/8	382.8	Lead #8		8800	1350
90803-1096	12	<i>Rio</i>	<i>Rio209</i>	Clays	20.0		BP1205			7/8	382.8	Lead #8		7400	1200
90803-1097A	12	<i>Rio</i>	<i>Rio209</i>	Clays	21.0		BP1205			7/8	382.8	Lead #8		7600	1260
90803-1097	12	<i>Rio</i>	<i>Rio209</i>	Clays	22.0		BP1205			7/8	382.8	Lead #8		7800	1320
909803-1098A	12	<i>Rio</i>	<i>Rio209</i>	Clays	23.0		BP1205			7/8	382.8	Lead #8		8400	1380
90803-1098	12	<i>Rio</i>	<i>Rio209</i>	Clays	24.0		BP1205			7/8	382.8	Lead #8		8900	1435
90817-1152	12	<i>Rio</i>	<i>Rio209</i>	International	21.0		BP1205			7/8	382.8	Lead #8		7300	1170
90817-1152T	12	<i>Rio</i>	<i>Rio209</i>	International	21.3		BP1205			7/8	382.8	Lead #8		7400	1200
90817-1153A	12	<i>Rio</i>	<i>Rio209</i>	International	22.0		BP1205			7/8	382.8	Lead #8		7500	1240

ITALICIZED COMPONENTS ARE NO LONGER IN PRODUCTION, BUT MAY STILL BE IN CIRCULATION.

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
12-GAUGE • 2-3/4" LENGTH • LEAD SHOT • FOLD CRIMP (CONTINUED)															
90817-1153	12	<i>Rio</i>	<i>Rio209</i>	International	23.0		BP1205			7/8	382.8	Lead #8		7700	1270
90817-1154	12	<i>Rio</i>	<i>Rio209</i>	International	24.0		BP1205			7/8	382.8	Lead #8		8200	1340
90817-1155	12	<i>Rio</i>	<i>Rio209</i>	Red Dot	18.0		BP1205			7/8	382.8	Lead #8		7800	1200
90817-1156A	12	<i>Rio</i>	<i>Rio209</i>	Red Dot	19.0		BP1205			7/8	382.8	Lead #8		8000	1225
90817-1156	12	<i>Rio</i>	<i>Rio209</i>	Red Dot	20.0		BP1205			7/8	382.8	Lead #8		8400	1295
90817-1157A	12	<i>Rio</i>	<i>Rio209</i>	Red Dot	21.0		BP1205			7/8	382.8	Lead #8		8700	1330
90817-1157	12	<i>Rio</i>	<i>Rio209</i>	Red Dot	22.0		BP1205			7/8	382.8	Lead #8		9100	1380
90817-1158	12	<i>Rio</i>	<i>Rio209</i>	Titewad	18.0		BP1205			7/8	382.8	Lead #8		7900	1230
90817-1159A	12	<i>Rio</i>	<i>Rio209</i>	Titewad	19.0		BP1205			7/8	382.8	Lead #8		8100	1260
90817-1159	12	<i>Rio</i>	<i>Rio209</i>	Titewad	20.0		BP1205			7/8	382.8	Lead #8		8300	1300
90901-1256	12	Win AA (original)	Win209	Red Dot	16.0		BP1205			7/8	382.8	Lead #8		8700	1190
90901-1257T	12	Win AA (original)	Win209	Red Dot	16.2		BP1205			7/8	382.8	Lead #8		8800	1200
90901-1257A	12	Win AA (original)	Win209	Red Dot	17.0		BP1205			7/8	382.8	Lead #8		9200	1235
90901-1257	12	Win AA (original)	Win209	Red Dot	18.0		BP1205			7/8	382.8	Lead #8		9600	1280
90727-1076	12	Winchester AA HS	Fed209A	Clays	15.0		BP1205			7/8	382.8	Lead #8		7500	1120
130206-4574	12	Cheddite	Ched209	International	27.0		BP1205			15/16	410.2	Lead #8		10800	1530
130204-4568	12	<i>Rio</i>	<i>Rio209</i>	700-X	23.0		BP1205			15/16	410.2	Lead #8		10400	1460
130204-4569	12	<i>Rio</i>	<i>Rio209</i>	International	25.0		BP1205			15/16	410.2	Lead #8		9300	1430
130204-4567	12	<i>Rio</i>	<i>Rio209</i>	Titewad	21.0		BP1205			15/16	410.2	Lead #8		10600	1400
90316-5965F	12	Cheddite	Ched209	700-X	16.2		BP1205			1	437.5	Lead #8		8800	1200
90316-5915F	12	Cheddite	Ched209	e3	16.1		BP1205			1	437.5	Lead #8		8800	1200
120514-3872W	12	Cheddite	Ched209	e3	17.5		BP1205			1	437.5	Lead #8		8900	1215
120827-4179	12	Cheddite	Ched209	Green Dot	20.0		BP1205			1	437.5	Lead #7.5		7800	1175
120827-4180S	12	Cheddite	Ched209	Green Dot	21.0		BP1205			1	437.5	Lead #8		8000	1200
120827-4180	12	Cheddite	Ched209	Green Dot	22.0		BP1205			1	437.5	Lead #7.5		8100	1225
120827-4181RM	12	Cheddite	Ched209	Green Dot	23.0		BP1205			1	437.5	Lead #7.5		8300	1275

ITALICIZED COMPONENTS ARE NO LONGER IN PRODUCTION, BUT MAY STILL BE IN CIRCULATION.

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
12-GAUGE • 2-3/4" LENGTH • LEAD SHOT • FOLD CRIMP (CONTINUED)															
120827-4181M	12	Cheddite	Ched209	Green Dot	24.0		BP1205			1	437.5	Lead #7.5		8500	1320
120827-4182RM	12	Cheddite	Ched209	Green Dot	25.0		BP1205			1	437.5	Lead #7.5		8800	1370
120514-3879W	12	Cheddite	Ched209	International	20.5		BP1205			1	437.5	Lead #8		7500	1125
120514-3880RW	12	Cheddite	Ched209	International	21.0		BP1205			1	437.5	Lead #8		7700	1155
120514-3880W	12	Cheddite	Ched209	International	22.0		BP1205			1	437.5	Lead #8		8500	1235
120907-4210	12	Cheddite	Ched209	International	24.0		BP1205			1	437.5	Lead #7.5		9400	1375
120514-3873W	12	Cheddite	Ched209	Red Dot	18.0		BP1205			1	437.5	Lead #8		8800	1200
120514-3874RW	12	Cheddite	Ched209	Red Dot	19.0		BP1205			1	437.5	Lead #8		9100	1245
230221-11573	12	Cheddite	Ched209	Red Dot	20.0		BP1205			1	437.5	Lead #8		9300	1275
120514-3875W	12	Cheddite	Ched209	Titewad	16.7		BP1205			1	437.5	Lead #8		8100	1155
120514-3880W	12	Cheddite	Ched209	Universal	25.0		BP1205			1	437.5	Lead #8		8200	1200
120514-3880W	12	Cheddite	Ched209	Universal	26.0		BP1205			1	437.5	Lead #8		8400	1245
120514-3880W	12	Cheddite	Ched209	Universal	27.0		BP1205			1	437.5	Lead #8		8600	1295
90316-596	12	Fiocchi	Fio616	700-X	16.0		BP1205			1	437.5	Lead #8		8600	1170
90316-596S	12	Fiocchi	Fio616	700-X	16.2		BP1205			1	437.5	Lead #8		8800	1200
90316-59B	12	Fiocchi	Fio616	700-X	17.0		BP1205			1	437.5	Lead #8		9000	1235
90316-597	12	Fiocchi	Fio616	700-X	18.0		BP1205			1	437.5	Lead #8		9300	1260
90316-589	12	Fiocchi	Fio616	American Select	20.0		BP1205			1	437.5	Lead #8		8600	1235
90316-589B	12	Fiocchi	Fio616	American Select	21.0		BP1205			1	437.5	Lead #8		8900	1275
90316-590	12	Fiocchi	Fio616	American Select	22.0		BP1205			1	437.5	Lead #8		9600	1330
90316-578	12	Fiocchi	Fio616	Clays	18.0		BP1205			1	437.5	Lead #8		8100	1170
90316-578S	12	Fiocchi	Fio616	Clays	18.2		BP1205			1	437.5	Lead #8		8300	1200
90316-577B	12	Fiocchi	Fio616	Clays	19.0		BP1205			1	437.5	Lead #8		8600	1240
90316-577	12	Fiocchi	Fio616	Clays	20.0		BP1205			1	437.5	Lead #8		9000	1260
90316-591	12	Fiocchi	Fio616	e3	16.0		BP1205			1	437.5	Lead #8		8700	1185
90316-591S	12	Fiocchi	Fio616	e3	16.1		BP1205			1	437.5	Lead #8		8800	1200

ITALICIZED COMPONENTS ARE NO LONGER IN PRODUCTION, BUT MAY STILL BE IN CIRCULATION.

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
12-GAUGE • 2-3/4" LENGTH • LEAD SHOT • FOLD CRIMP (CONTINUED)															
90316-591B	12	Fiocchi	Fio616	e3	17.0		BP1205			1	437.5	Lead #8		9200	1240
90316-592	12	Fiocchi	Fio616	e3	18.0		BP1205			1	437.5	Lead #8		9400	1260
90316-5992B	12	Fiocchi	Fio616	e3	19.0		BP1205			1	437.5	Lead #8		9800	1300
90316-593	12	Fiocchi	Fio616	e3	20.0		BP1205			1	437.5	Lead #8		10400	1350
90316-588S	12	Fiocchi	Fio616	Green Dot	19.8		BP1205			1	437.5	Lead #8		8300	1200
90316-588	12	Fiocchi	Fio616	Green Dot	20.0		BP1205			1	437.5	Lead #8		8500	1215
90316-587B	12	Fiocchi	Fio616	Green Dot	21.0		BP1205			1	437.5	Lead #8		8600	1250
90316-587	12	Fiocchi	Fio616	Green Dot	22.0		BP1205			1	437.5	Lead #8		8700	1280
90316-581	12	Fiocchi	Fio616	International	20.0		BP1205			1	437.5	Lead #8		8100	1190
90316-581S	12	Fiocchi	Fio616	International	20.1		BP1205			1	437.5	Lead #8		8200	1200
90316-582	12	Fiocchi	Fio616	International	22.0		BP1205			1	437.5	Lead #8		8700	1300
90316-585	12	Fiocchi	Fio616	Red Dot	16.0		BP1205			1	437.5	Lead #8		8000	1090
90316-586	12	Fiocchi	Fio616	Red Dot	18.0		BP1205			1	437.5	Lead #8		8700	1200
90316-594	12	Fiocchi	Fio616	<i>Solo 1000</i>	18.0		BP1205			1	437.5	Lead #8		8600	1170
90316-594S	12	Fiocchi	Fio616	<i>Solo 1000</i>	18.2		BP1205			1	437.5	Lead #8		8700	1200
90316-595C	12	Fiocchi	Fio616	<i>Solo 1000</i>	19.0		BP1205			1	437.5	Lead #8		8900	1225
90316-595	12	Fiocchi	Fio616	<i>Solo 1000</i>	20.0		BP1205			1	437.5	Lead #8		9200	1255
90316-579	12	Fiocchi	Fio616	Titewad	16.0		BP1205			1	437.5	Lead #8		8500	1145
90316-579S	12	Fiocchi	Fio616	Titewad	17.0		BP1205			1	437.5	Lead #8		8900	1200
90316-580	12	Fiocchi	Fio616	Titewad	18.0		BP1205			1	437.5	Lead #8		9400	1235
90316-583	12	Fiocchi	Fio616	Universal	25.0		BP1205			1	437.5	Lead #8		8300	1230
90316-584b	12	Fiocchi	Fio616	Universal	26.0		BP1205			1	437.5	Lead #8		8900	1290
90316-584	12	Fiocchi	Fio616	Universal	27.0		BP1205			1	437.5	Lead #8		9300	1365
121022-4275	12	Fiocchi (paper)	Fio616	Green Dot	17.0		BP1205			1	437.5	Lead #7.5		8300	1120
121022-4275B	12	Fiocchi (paper)	Fio616	Green Dot	19.0		BP1205			1	437.5	Lead #7.5		9000	1200
121022-4276	12	Fiocchi (paper)	Fio616	Green Dot	21.0		BP1205			1	437.5	NP Lead #6.5		9500	1275

ITALICIZED COMPONENTS ARE NO LONGER IN PRODUCTION, BUT MAY STILL BE IN CIRCULATION.

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
12-GAUGE • 2-3/4" LENGTH • LEAD SHOT • FOLD CRIMP (CONTINUED)															
90817-1163	12	<i>Rio</i>	<i>Rio209</i>	700-X	16.0		BP1205			1	437.5	Lead #8		7800	1125
90817-1164A	12	<i>Rio</i>	<i>Rio209</i>	700-X	17.0		BP1205			1	437.5	Lead #8		8200	1170
90817-1164T	12	<i>Rio</i>	<i>Rio209</i>	700-X	17.3		BP1205			1	437.5	Lead #8		8400	1200
90817-1164	12	<i>Rio</i>	<i>Rio209</i>	700-X	18.0		BP1205			1	437.5	Lead #8		8800	1230
90817-1165A	12	<i>Rio</i>	<i>Rio209</i>	700-X	19.0		BP1205			1	437.5	Lead #8		9000	1270
90817-1165	12	<i>Rio</i>	<i>Rio209</i>	700-X	20.0		BP1205			1	437.5	Lead #8		9300	1315
90817-1173	12	<i>Rio</i>	<i>Rio209</i>	American Select	18.0		BP1205			1	437.5	Lead #8		7400	1125
90817-1173A	12	<i>Rio</i>	<i>Rio209</i>	American Select	19.0		BP1205			1	437.5	Lead #8		7900	1180
90817-1174T	12	<i>Rio</i>	<i>Rio209</i>	American Select	19.2		BP1205			1	437.5	Lead #8		8100	1200
90817-1174	12	<i>Rio</i>	<i>Rio209</i>	American Select	20.0		BP1205			1	437.5	Lead #8		8500	1230
90817-1175A	12	<i>Rio</i>	<i>Rio209</i>	American Select	21.0		BP1205			1	437.5	Lead #8		8600	1255
90817-1175	12	<i>Rio</i>	<i>Rio209</i>	American Select	22.0		BP1205			1	437.5	Lead #8		8700	1285
90817-1170	12	<i>Rio</i>	<i>Rio209</i>	Clays	18.0		BP1205			1	437.5	Lead #8		7500	1125
90817-1171A	12	<i>Rio</i>	<i>Rio209</i>	Clays	19.0		BP1205			1	437.5	Lead #8		7900	1180
90817-1171T	12	<i>Rio</i>	<i>Rio209</i>	Clays	19.3		BP1205			1	437.5	Lead #8		8100	1200
90817-1171	12	<i>Rio</i>	<i>Rio209</i>	Clays	20.0		BP1205			1	437.5	Lead #8		8500	1240
90817-1172A	12	<i>Rio</i>	<i>Rio209</i>	Clays	21.0		BP1205			1	437.5	Lead #8		8800	1290
90817-1172	12	<i>Rio</i>	<i>Rio209</i>	Clays	22.0		BP1205			1	437.5	Lead #8		9100	1320
90817-1167	12	<i>Rio</i>	<i>Fio616</i>	e3	16.0		BP1205			1	437.5	Lead #8		8000	1130
90817-1168	12	<i>Rio</i>	<i>Rio209</i>	e3	16.0		BP1205			1	437.5	Lead #8		8400	1160
90817-1168T	12	<i>Rio</i>	<i>Rio209</i>	e3	16.4		BP1205			1	437.5	Lead #8		8500	1200
90817-1169A	12	<i>Rio</i>	<i>Rio209</i>	e3	17.0		BP1205			1	437.5	Lead #8		8800	1225
90817-1169	12	<i>Rio</i>	<i>Rio209</i>	e3	18.0		BP1205			1	437.5	Lead #8		9000	1245
90817-1166A	12	<i>Rio</i>	<i>Rio209</i>	e3	19.0		BP1205			1	437.5	Lead #8		9600	1295
90817-1166	12	<i>Rio</i>	<i>Rio209</i>	e3	20.0		BP1205			1	437.5	Lead #8		10100	1345
90817-1176	12	<i>Rio</i>	<i>Rio209</i>	Green Dot	19.0		BP1205			1	437.5	Lead #8		7800	1160

ITALICIZED COMPONENTS ARE NO LONGER IN PRODUCTION, BUT MAY STILL BE IN CIRCULATION.

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
12-GAUGE • 2-3/4" LENGTH • LEAD SHOT • FOLD CRIMP (CONTINUED)															
90817-1177T	12	<i>Rio</i>	<i>Rio209</i>	Green Dot	20.0		BP1205			1	437.5	Lead #8		8100	1200
90817-1177	12	<i>Rio</i>	<i>Rio209</i>	Green Dot	21.0		BP1205			1	437.5	Lead #8		8500	1245
90817-1178	12	<i>Rio</i>	<i>Rio209</i>	Green Dot	22.0		BP1205			1	437.5	Lead #8		8600	1260
90817-1179	12	<i>Rio</i>	<i>Rio209</i>	International	20.0		BP1205			1	437.5	Lead #8		7700	1160
180709-10072	12	<i>Rio</i>	<i>Rio209</i>	International	21.0		BP1205			1	437.5	Lead #8		5510	1215
90817-1182	12	<i>Rio</i>	<i>Rio209</i>	Red Dot	17.0		BP1205			1	437.5	Lead #8		8100	1140
909817-1183T	12	<i>Rio</i>	<i>Rio209</i>	Red Dot	18.8		BP1205			1	437.5	Lead #8		8400	1200
90817-1183	12	<i>Rio</i>	<i>Rio209</i>	Red Dot	19.0		BP1205			1	437.5	Lead #8		8500	1210
90817-1184A	12	<i>Rio</i>	<i>Rio209</i>	Red Dot	20.0		BP1205			1	437.5	Lead #8		9000	1275
90817-1184	12	<i>Rio</i>	<i>Rio209</i>	Red Dot	21.0		BP1205			1	437.5	Lead #8		9500	1310
90817-1187	12	<i>Rio</i>	<i>Rio209</i>	Titewad	17.0		BP1205			1	437.5	Lead #8		8500	1180
90817-1189T	12	<i>Rio</i>	<i>Rio209</i>	Titewad	17.3		BP1205			1	437.5	Lead #8		8800	1200
90817-1189	12	<i>Rio</i>	<i>Rio209</i>	Titewad	18.0		BP1205			1	437.5	Lead #8		9100	1230
90817-1188	12	<i>Rio</i>	<i>Rio209</i>	Titewad	19.0		BP1205			1	437.5	Lead #8		9400	1270
90817-1190	12	<i>Rio</i>	<i>Rio209</i>	Universal	24.0		BP1205			1	437.5	Lead #8		7900	1140
90817-1191T	12	<i>Rio</i>	<i>Rio209</i>	Universal	25.7		BP1205			1	437.5	Lead #8		8100	1200
90817-1191	12	<i>Rio</i>	<i>Rio209</i>	Universal	26.0		BP1205			1	437.5	Lead #8		8200	1225

WARNING: BALLISTIC PRODUCTS, INC. DISCLAIMS ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".

ITALICIZED COMPONENTS ARE NO LONGER IN PRODUCTION, BUT MAY STILL BE IN CIRCULATION.